

AGRICULTURE SAFETY & COMFORT SOLUTIONS



ENGINEERED FOR SUPERIOR PERFORMANCE

"Dunlop boots have exceeded my expectations in terms of quality and performance. The durable, waterproof material makes them ideal for farming in wet and muddy conditions."

THE NETHERLANDS
PIETER HAAN
FARMER

FROM **GOOD**
TO **BETTER**
AND **BEST**

BEST

PUROFORT®



BETTER

ACIFORT®



GOOD

PVC



**DUNLOP®
PUROFORT® RANGE**

COMFORT

Meeting end-user needs



DURABILITY

Fulfilling lifetime expectancy



PROTECTION

Meeting the standards



**DUNLOP®
ACIFORT® RANGE**



**DUNLOP® PVC
RANGE**



DUNLOP FITS FOR PURPOSE

FOR TWO MAIN CUSTOMER TYPES

"These boots have helped me get the job done for generations"



EASY ON & OFF

- Easy on and off boots let you hop in and hop out
- Generous fit for all leg sizes
- Ample space from ankle to toe

SERIES



DUNLOP PUROFORT THERMO+



DUNLOP PUROFORT PROFESSIONAL



DUNLOP PRICEMASTER

Classic fit boots have generous fit that some people size down vs. their regular sneaker or shoe size. Every fit is different so make sure to try before you buy.

Dunlop has two different fits for the different needs of our customers. The innovative Sneaker Fit locks in your foot and ankle and reduces walking weight, while the Classic Fit allows for easy movement, reducing cuts and tears with its flexibility.

“Why shouldn’t my work boots be as comfortable as my sneakers?”



**SNEAKER
FIT**



ELIMINATES HEEL SLIPPAGE

- Fits true to size like a sneaker
- Eliminates heel slippage to help reduce slips, trips and falls
- Flexible upper and midfoot area fitted to lock in the foot in every step

SERIES



DUNLOP
TERRAPRO




DUNLOP ACIFORT
JOBGUARD



DUNLOP
WORK-IT

Our newly launched products have a tighter fit. Buy true to size. In between sizes? We recommend you to size up.


PUROFORT® GUARANTEES YOU LONG-LASTING COMFORT



PUROFORT® BENEFITS

LIGHTWEIGHT


Purofort® boots are up to 35% lighter than PVC, rubber or competitive PU boots. No more tired feet!



EXCELLENT COLD INSULATION


Purofort® prevents heat loss and provides thermal insulation down to -20°C and even to -50°C.

No more cold feet!




FLEXIBLE

Purofort® is extremely flexible, giving you maximum comfort.



MAX STRETCH

Purofort® provides maximum stretch, assuring your boots a longer life-time.




DISCOVER MORE
dunlopboots.com/purofort



DUNLOP PUROFORT® TERRAPRO

The trusted choice for
agriculture professionals

Cut and abrasion resistant
Purofort guarantees long
lasting protection



Lightweight and flexible
Purofort helps keep your feet
fresh until the job is done



SRC rated Professional
outsole designed for
excellent grip in the field

ARTICLE : LJ2KL01 (FULL SAFETY) | LJOKL01 (NON SAFETY)
STANDARD : EN ISO 20345:2011 S5 CI CR SRC
SIZE RANGE : EU 35-48

 **DUNLOP**
PROTECTIVE FOOTWEAR



ARTICLE	LJ2KL01 Dunlop® Purofort® TerraPRO full safety
DESCRIPTION	Trusted Purofort® protection, fits like a sneaker
STANDARD	EN ISO 20345:2011 S5 CI CR SRC
SIZE RANGE	EU 35-48
PROPERTIES	<ul style="list-style-type: none"> Fit perfected with Dunlop's innovative Sneaker Fit construction to eliminate heel slippage Lightweight and flexible Purofort helps keep your feet fresh until the job is done SRC rated Professional outsole designed for excellent grip in the field

ARTICLE	LP8KL01 Dunlop® Purofort® FieldPRO Thermo+ full safety
DESCRIPTION	Maximum comfort and protection in the harshest conditions
STANDARD	EN ISO 20345:2022 S5L CI CR SR FO LG
SIZE RANGE	EU 37-49
PROPERTIES	<ul style="list-style-type: none"> Keeping feet dry and warm even in -60°C environments Composite toecap and midsole for certified protection Sneaker Fit last and new comfort insole for improved comfort and support Maximum grip and traction with the new professional outsole



ARTICLE	C762933 Dunlop® Purofort®+ full safety
DESCRIPTION	Outstanding comfort and durability for the demanding farmer
STANDARD	EN ISO 20345:2022+A1:2024 S5 CI CR SR FO
SIZE RANGE	EU 36-48, 49/50

PROPERTIES	<ul style="list-style-type: none"> Anatomically shaped footbed with premium insole for all day foot support Lightweight and flexible for all day wearer comfort Outsole designed for excellent slip resistance and traction in mud
------------	---



ARTICLE	C462933 Dunlop® Purofort® Professional full safety
DESCRIPTION	The comfortable and durable all-purpose farmer boot
STANDARD	EN ISO 20345:2022 A1:2024 S5 CI CR SR FO
SIZE RANGE	EU 37-48

PROPERTIES	<ul style="list-style-type: none"> Keeping feet dry and warm in cold environments Lightweight and flexible for all day wearer comfort Self cleaning abrasion resistant outsole
------------	---



ARTICLE	C662933 Dunlop® Purofort® Thermo+ full safety
DESCRIPTION	Excellent thermal insulation for farming in all seasons
STANDARD	EN ISO 20345:2022+A1:2024 S5 SR CI CR AN FO
SIZE RANGE	EU 37/38, 39/40, 41-43, 44/45, 46-48

PROPERTIES	<ul style="list-style-type: none"> Keeping feet dry and warm even in -50°C environments Lightweight and flexible for all day wearer comfort High cleated outsole for grip and traction in mud and snow
------------	---

DUNLOP ACIFORT® JOBGUARD

Heavy duty protection for every job



SRC Rated outsole for anti-slip protection on any terrain



ARTICLE : NA2KL01 (FULL SAFETY) | NA0KL01 (NON SAFETY)
STANDARD : EN ISO 20345:2011 S5 SRC AN
SIZE RANGE : EU 37-49

Protective toecap and midsole (steel)



Reinforced PVC for improved chemical resistance, flexibility and product lifespan



Revolutionary Sneaker Fit last and comfort insole for superior comfort and support





Dunlop® Acifort® JobGUARD full safety

NA2KL01

ARTICLE	NA2KL01 Dunlop® Acifor® JobGUARD full safety
DESCRIPTION	Heavy duty protection for every job
STANDARD	EN ISO 20345:2011 S5 SRC AN
SIZE RANGE	EU 37-49
PROPERTIES	<ul style="list-style-type: none"> Reinforced PVC for improved chemical resistance flexibility and product lifespan
	<ul style="list-style-type: none"> Revolutionary Sneaker Fit last and comfort insole for superior comfort and support SRC Rated outsole for anti-slip protection on any terrain Protective toecap and midsole (steel)



Dunlop® Acifort® Heavy Duty Calf

B440631.AFHA

ARTICLE	B440631.AFH Dunlop® Acifort® Heavy Duty Calf
STANDARD	EN ISO 20347:2012 04 FO SRA
SIZE RANGE	EU 39-48
PROPERTIES	<ul style="list-style-type: none"> Resistant against minerals, fats, manure, disinfectants Anti-slip and antistatic properties



Dunlop® Acifort® JobGUARD Calf

NAOKL42

ARTICLE	NA00KL42 Dunlop® Acifort® JobGUARD Calf
DESCRIPTION	Durable protection
STANDARD	EN ISO 20347:2012 O4 F0 AN SRC
SIZE RANGE	EU 37-49
PROPERTIES	<ul style="list-style-type: none"> Reinforced PVC for improved chemical resistance flexibility and product lifespan Revolutionary Sneaker Fit last and comfort insole for superior comfort and support SRC Rated outsole for anti-slip protection on any terrain



Dunlop® Acifort® Biosecure calf

Solution to prevent cross-contamination

Bacterial infections

Prevention of cross contamination and infection is becoming increasingly important in a farming environment. Hygiene and non transference are of the utmost importance to avoid every risk of contamination. This is why Dunlop® products have dirt repellent outsoles which are easy to clean, whilst providing excellent slip resistance.

ARTICLE	B550631 Dunlop® Acifort® Biosecure calf
STANDARD	CE
SIZE RANGE	EU 40-47
PROPERTIES	<ul style="list-style-type: none">Smooth shaft for hygienic cleaningDirt repellent designCE standard approved

PVC **WORK-IT**

Practical safety boot for general use



Oil resistant
outsole with
antistatic
properties

DUNLOP
Work-It

EN ISO 20345:2022 S5 SR FO LG

Protective toecap
and midsole (steel)



ARTICLE : NB2KL01 (FULL SAFETY)
STANDARD : EN ISO 20345:2022 S5 SR FO LG
SIZE RANGE : EU 35 - 50

SR Rated outsole for perfect
grip on any terrain

DUNLOP
PROTECTIVE FOOTWEAR



Dunlop® PVC Work-It full safety

NB2KL01

ARTICLE	NB2KL01 Dunlop® PVC Work-It full safety
STANDARD	EN ISO 20345:2022 S5 SR FO LG
SIZE RANGE	EU 35 - 50
PROPERTIES	<ul style="list-style-type: none"> Oil resistant outsole with antistatic properties SR Rated outsole for perfect grip on any terrain Protective toecap and midsole (steel)



Dunlop® Devon full safety

H142611

ARTICLE	H142611 Dunlop® Devon full safety
STANDARD	EN ISO 20345:2022+A1:2024 S5 FO SR
SIZE RANGE	EU 36 - 47
PROPERTIES	<ul style="list-style-type: none"> Affordable waterproof solution Oil resistant, SRA rated outsole for perfect grip Slip resistant to ensure safe working conditions Protective toecap & midsole (steel)



Dunlop® Pricemastor

380VP

ARTICLE	380VP Dunlop® Pricemastor
STANDARD	CE
SIZE RANGE	EU 35-48
PROPERTIES	<ul style="list-style-type: none"> Affordable waterproof solution



THE LEISURE RANGE

EXPLORE



Dunlop® Blizzard

K486061

ARTICLE	K486061 Dunlop® Blizzard
SIZE RANGE	EU 36-48
PROPERTIES	<ul style="list-style-type: none"> Comfortable fur lined winter boot, cold insulating down to -15°C Extra traction outsole profile for excellent grip



Dunlop® Blizzard

K454061

ARTICLE	K454061 Dunlop® Blizzard
SIZE RANGE	EU 36-48
PROPERTIES	<ul style="list-style-type: none"> Comfortable fur lined winter boot, cold insulating down to -15°C Extra traction outsole profile for excellent grip



Dunlop® Blizzard

K400061

ARTICLE	K400061 Dunlop® Blizzard
SIZE RANGE	EU 36-48
PROPERTIES	<ul style="list-style-type: none"> Comfortable fur lined winter boot, cold insulating down to -15°C Extra traction outsole profile for excellent grip



Dunlop® Kids Blizzard

K374061

ARTICLE	K374061 Dunlop® Kids Blizzard
SIZE RANGE	EU 24-35
PROPERTIES	<ul style="list-style-type: none"> With fur lining for extra warmth and comfort Extra traction outsole profile for excellent grip



Dunlop® Kids Blizzard

K354061

ARTICLE	K354061 Dunlop® Kids Blizzard
SIZE RANGE	EU 24-35
PROPERTIES	<ul style="list-style-type: none"> With fur lining for extra warmth and comfort Extra traction outsole profile for excellent grip





THE LEISURE RANGE



Dunlop® Bicolour Wellie Shoe B350611

ARTICLE	B350611 Dunlop® Bicolour Wellie Shoe
SIZE RANGE	EU 35/36, 37-46
PROPERTIES	• Easy-on and off wellie shoe



Dunlop® Monocolour Wellie Shoe 814P

ARTICLE	814P Dunlop® Monocolour Wellie Shoe
SIZE RANGE	EU 35/36, 37-47
PROPERTIES	• Easy-on and off wellie shoe



Dunlop® Hobby Retail W486711

ARTICLE	W486711 Dunlop® Hobby Retail
SIZE RANGE	EU 39-40, 41-45, 46/47, 48/49
PROPERTIES	• Knee heigh boot



Dunlop® Sport Retail K286711

ARTICLE	K286711 Dunlop® Sport Retail
SIZE RANGE	EU 31-42
PROPERTIES	• Knee heigh boot with classic retro design



Dunlop® Sport Retail K254711

ARTICLE	K254711 Dunlop® Sport Retail
SIZE RANGE	EU 31-42
PROPERTIES	• Knee heigh boot with classic retro design



Dunlop® Sport Retail K272111

ARTICLE	K272111 Dunlop® Sport Retail
SIZE RANGE	EU 31-42
PROPERTIES	• Knee heigh boot with classic retro design

THE LEISURE RANGE

PLAY



Dunlop® Monocolour Mini K172110

ARTICLE	K172110 Dunlop® Mini
SIZE RANGE	EU 20-30
PROPERTIES	• 100% waterproof to keep little feet completely dry



Dunlop® Monocolour Mini K151710

ARTICLE	K172110 Dunlop® Mini
SIZE RANGE	EU 20-30
PROPERTIES	• 100% waterproof to keep little feet completely dry

KIDS MINI

ADDITIONAL COMFORT

MAKE EVERY STEP COUNT



**VISIT OUR WEBSITE
FOR MORE INFORMATION**

www.dunlopboots.com



Dunlop® Comfort Insoles PRO series

Z940005

ARTICLE	Z940005
DESCRIPTION	Dunlop® Comfort Insoles PRO series
SIZE RANGE	Suitable for Dunlop® Purofort® PRO-series
PROPERTIES	EU 35-48, 49/50
	• EVA foot bed for all day comfort
	• Moisture wicking design to keep your feet dry
	• Long lasting abrasion resistant material



Dunlop® Insoles Comfort

Z920005

ARTICLE	Z920005
DESCRIPTION	Dunlop® Insoles Comfort
SIZE RANGE	Suitable for Dunlop® Purofort® Thermo+ & Purofort®+
PROPERTIES	EU 36 - 48, 49/50
	• Great ergonomic heel and midfoot support
	• Absorbs three times its own weight in liquid
	• Breathable material for good ventilation

MISSION

EMPOWER THE
MAKERS AND
DOERS OF THE
WORLD TO GET
THE JOB DONE
SAFELY.



THE DUNLOP DIFFERENCE



Sustainability Promise

We are in the top 5% of sustainable companies globally.



History of Innovation

Dunlop has been reinventing the work boot for over 130 years.



Materials Matter

Our proprietary Purofort, Acifort, and PVC materials ensure our customers get exactly what they need to get the job done.



Long-Term Value

Dunlop boots outlast and outperform the competition.



Fits For Purpose

The Classic Fit and Sneaker Fit of our boots ensure that every maker and doer of the world has the perfect fit.



STF Center

Dunlop's STF Center is relentlessly pursuing the eradication of slips, trips, and falls.



STEPPING UP
TO DO WHAT'S
RIGHT



KG CO2e reduction/pair
6% versus 2019 base year



Received EcoVadis Gold Rating 3 years in a row



Recycled content products and Bio-Based content products



All manufacturing sites powered by 100% renewable energy




13,000 pairs of boots donated to people in need



Insoles 85% recycled content



65 Tons recycled PVC



11,140 total training hours
Average 29 hours per employee



Switching packaging from virgin and/or fossil to recycled and/or renewable

DUNLOP PROTECTIVE FOOTWEAR EMPOWER END-USERS AROUND THE WORLD



Havre De Grace, United States



Raalte, The Netherlands



Leiria, Portugal

REACH COMPLIANT

ALL DUNLOP® BOOTS ARE PRODUCED ACCORDING TO THE LATEST REACH REGULATION AND DO NOT CONTAIN ANY RESTRICTED SUBSTANCES

S4 S4- CERTIFIED		SLIP RESISTANT OUTSOLE		WATERPROOF		CLASSIC FIT
S5 S5- CERTIFIED		SLIP RESISTANT OUTSOLE		COLD INSULATION		SNEAKER FIT
SB SB- CERTIFIED		SLIP RESISTANT OUTSOLE		OIL RESISTANT OUTSOLE		ANKLE PROTECTION
04 04- CERTIFIED		PROTECTIVE TOE CAP & MIDSOLE		CHEMICAL RESISTANT		METATARSAL PROTECTION
05 05- CERTIFIED		PROTECTIVE TOE CAP		ENERGY ABSORBING		HEAT RESISTANT
OB OB- CERTIFIED		LIGHTWEIGHT		ANTISTATIC		CUT RESISTANT
S5L S5L METALFREE		LADDERGRIP		METALFREE		HIGH VOLTAGE
S5S S5S METALFREE		THERMAL -60°		ESD		CE- CERTIFIED

CONTACT

Dunlop® Protective Footwear
Boeiervlaan 12
NL-8102 HS Raalte
The Netherlands
T +31 088-200-4900
E info@dunlopboots.com



CONTACT US
dunlopboots.com

Dunlop® Protective Footwear works closely with:



Tested & Certified by:

